

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
This SDS is for generic information purposes and does not reflect required country specific information for OEL

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

This Safety Data Sheet is prepared voluntarily: it is not required according to Article 31 of Regulation (EC) No

1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product Name B.MSP 200
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik GmbH An der Bundesstrasse 16 33829 Borgholzhausen, Germany Tel: +49 (0) 5425 / 801 0

Fax: +49 (0) 5425 / 801 140

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Not classified

2.2. Label Elements

Not classified

Signal word

None

Hazard statements

Not classified

2.3. Other Hazards

No information available

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

Europe - BE Page 1 / 11

B.MSP 200 Revision Date 22-May-2019 Supercedes Date: 27-Aug-2018 Revision Number 2.03

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 **3.2 Mixtures**

Chemical name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Bis(2,2,6,6-tetramethyl-4 -piperidyl) sebacate	258-207-9	52829-07-9	0.1- <1	Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)		01-2119537297- 32-XXXX

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Take a copy of the Safety Data Sheet when going for medical treatment.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Skin contactWash skin with soap and water. In the case of skin irritation or allergic reactions see a

doctor.

Ingestion Call a doctor immediately. Rinse mouth thoroughly with water. Small amounts of toxic

methanol are released by hydrolysis.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon

curing. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Europe - BE Page 2/11

B.MSP 200 Revision Date 22-May-2019 Supercedes Date: 27-Aug-2018 **Revision Number** 2.03

Full water jet. Do not scatter spilled material with high pressure water streams. Unsuitable extinguishing media

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Thermal decomposition can lead to release of toxic and corrosive gases/vapours.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. Ensure adequate ventilation. Do not get

in eyes, on skin, or on clothing.

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Do not flush into surface water or sanitary sewer system. Do not allow to enter into

soil/subsoil. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Use a non-combustible material like vermiculite, sand or earth to soak up the product

and place into a container for later disposal.

Take up mechanically, placing in appropriate containers for disposal. Methods for cleaning up

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information. Reference to other sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Use personal protective equipment as required. Avoid

contact with skin, eyes or clothing.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash thoroughly after handling. Take off all

contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from moisture. Keep/store only in original container. Protect from sunlight. Store

in a well-ventilated place. Keep at temperatures between 5 and 35 °C. Keep away from

food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Europe - BE Page 3/11

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

Specific Use(s) Adhesives.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union	
Methyl alcohol	TWA: 200 ppm	
67-56-1	TWA: 260 mg/m ³	
	*	

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)			
Туре	Worker Short term Long term Systemic health effects		
Exposure route	Inhalation		
Derived No Effect Level (DNEL)	2.82 mg/m³		

Type	Worker Long term Systemic health effects
Exposure route	Dermal
Derived No Effect Level (DNEL)	1.6 mg/kg

Derived No Effect Level (DNEL)			
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)			
Туре	Consumer Long term Systemic health effects		
Exposure route	Dermal		
Derived No Effect Level (DNEL)	0.8 mg/kg		

Туре	Consumer Long term Systemic health effects
Exposure route	Oral
Derived No Effect Level (DNEL)	0.4 mg/kg

Predicted No Effect Concentration No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)				
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Environmental compartment	Predicted No Effect Concentration (PNEC)			
Freshwater	0.018 mg/l			
Marine water	0.0018 mg/l			
Freshwater sediment	29 mg/kg			
Marine sediment	2.9 mg/kg			
Soil	5.9 mg/kg			

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Europe - BE Page 4/11

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Neoprene™. Nitrile rubber. Butyl rubber. Polyvinyl chloride (PVC). Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves should be replaced

regularly and if there is any sign of damage to the glove material.

Skin and body protection Respiratory protection

Wear suitable protective clothing.

Ensure adequate ventilation, especially in confined areas. In case of insufficient

ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN 140

with Type A/P2 filter or better.

Recommended filter type: Brown. White.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColourlight brownOdourCharacteristic

Odour Threshold No information available

Property Values Remarks • Method

pHNo data availableNot applicableMelting point / freezing pointNo data availableNot applicableBoiling point / boiling rangeNo data availableNot applicableFlash Point> 61 °CCC (closed cup)

Evaporation Rate No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapour Pressure 1100 hPa @ 50 °C

No information available

No data available **Vapour Density Relative Density** 1.3 - 1.7 **Water Solubility** Reacts with water No data available Solubility(ies) **Partition coefficient** No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available **Kinematic Viscosity** No data available **Dynamic Viscosity** No data available No data available **Explosive properties Oxidising properties** No data available

9.2. Other information

Bulk Density

Solid content (%)

Softening Point

Molecular Weight

VOC (volatile organic compound)

Density

No information available
No information available
No information available
No information available

SECTION 10: Stability and reactivity

Europe - BE Page 5 / 11

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion Data

Sensitivity to mechanical

None.

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product information

Inhalation Based on available data, the classification criteria are not met.

Eye contact Based on available data, the classification criteria are not met.

Skin contact Based on available data, the classification criteria are not met.

Ingestion Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Numerical measures of toxicity

No information available

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Bis(2,2,6,6-tetramethyl-4-piperi	LD50 (rat)> 2000 mg/kg	LD50 (rat) > 3 170 mg/kg	= 500 mg/m ³ (Rat) 4 h
dyl) sebacate	OECD 423	OECD 402	
52829-07-9			

Europe - BE Page 6 / 11

B.MSP 200 Revision Date 22-May-2019 Supercedes Date: 27-Aug-2018 Revision Number 2.03

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information	Component Information				
Bis(2,2,6,6-tetramethyl-4	-piperidyl) sebacate	(52829-07-9)			
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit	Dermal			Non-irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information				
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses	
Sensitisation	-		were observed	

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicityBased on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Not considered to be harmful to aquatic life.

Chemical name	Algae/aquatic	Fish	Toxicity to	Crustacea	M-Factor
	plants		Micro-organisms		
Bis(2,2,6,6-tetramethyl-4	EC50 72Hr 0.705	LC50 (96h) = 5.29	-	LC50 48Hr 8.58	-
-piperidyl) sebacate	mg/l	mg/l (Oryzias		mg/l (Daphnia	
52829-07-9	(Pseudokirchnerell	latipes)		magna)	
	a subcapitata)				

12.2. Persistence and degradability

Persistence and degradability No information available.

Component Information					
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate (52829-07-9)					
Method	Exposure time	Value	Results		
OECD Test No. 303: Simulation	28 days	Total organic carbon (TOC)	24 % Moderate		

Europe - BE Page 7/11

Revision Date 22-May-2019 **B.MSP 200**

Supercedes Date: 27-Aug-2018 **Revision Number** 2.03

Test - Aerobic Sewage Treatment		
A: Activated Sludge Units; B:		
Biofilms		

12.3. Bioaccumulative potential

No information available. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Bis(2,2,6,6-tetramethyl-4-piperidyl)	0.35	-
sebacate		
52829-07-9		

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment	
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	The substance is not PBT / vPvB	
52829-07-9		

12.6. Other adverse effects

No information available. **Other Adverse Effects**

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of contents/container in accordance with local, regional, national, and

international regulations as applicable.

Contaminated packaging Do not reuse empty containers. Handle contaminated packages in the same way as the

product itself.

according to EWC / AVV

Waste codes / waste designations 15 01 10*: Packaging containing residues of or contaminated by dangerous substances.

16 03 03* inorganic wastes containing hazardous substances. 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product was used.

European Waste Catalogue 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN Number Not regulated 14.2 Proper Shipping Name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing Group 14.5 Environmental hazards Not applicable 14.6 Special Provisions None

Europe - BE Page 8 / 11

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

IMDG

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Air transport (ICAO-TI / IATA-DGR)

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No.	Restricted substance per REACH Annex XVII
Dioctyltin oxide	870-08-6	20

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National Regulations

France

Europe - BE Page 9 / 11

B.MSP 200

Revision Date 22-May-2019

Supercedes Date: 27-Aug-2018

Revision Number 2.03

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) WGK 1

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT RE Specific target organ toxicity - Repeated exposure STOT SE Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 22-May-2019

Indication of changes

Revision note SDS sections updated, 4, 6, 7, 8, 9, 10, 11, 12, 13, 15.

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only

Europe - BE Page 10/11

B.MSP 200 Revision Date 22-May-2019 Supercedes Date: 27-Aug-2018 Revision Number 2.03

to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Europe - BE Page 11/11